

PART II – FINANCIAL BID(Cover-2)


1. Name of the Civil Contractor –
 2. Complete Address with Phone No –
 3. DAV Empanelment No.-
 4. Contractor License No.-
 5. Valid Labour License No-
 6. PAN No-
 7. GST No-
 8. ESI No-
- (Please enclose photo copy of the documents)

Sl No	Description (As per Building Plan)	(Approx. Area)	Rate per Sqft. With all the Materials
1	Construction of <u>Basement including piling and roof casting.</u>	 Sqft.	Rs- Rate in words.
2	Construction of <u>Ground Floor</u>	Sqft.	Rs- Rate in words.
3	Construction of <u>First Floor</u>	Sqft.	Rs- Rate in words.

- The above rates are inclusive of GST and all admissible taxes. (GST).
- Please read specification attached before quoting the rates

Signature of the Contractor with date & seal.







GROUND FLOOR PLAN

PROPOSED NEW SCHOOL BUILDING OF DAV PUBLIC SCHOOL AT PUNE, ODISHA	
DAV PUBLIC SCHOOL	
Project No.	DAV/2024/001
Scale	1:100
Drawn by	DAV/2024/001
Checked by	DAV/2024/001
Approved by	DAV/2024/001
CREATIVE INSPIRE	
DAV PUBLIC SCHOOL	
PUNE, ODISHA	



FIRST FLOOR PLAN

PROPOSED NEW
SCHOOL BUILDING OF
DAY PUBLIC SCHOOL
AT PUNE, ODISHA

DAY PUBLIC SCHOOL

DATE: 10/10/2024
BY: 10/10/2024

GENERAL DIMENSIONS AT
DRAWING-4

DATE: 10/10/2024

AS PERMITTED BY

CREATIVE INSCAPE

1. 10/10/2024

1. 10/10/2024

1. 10/10/2024

1. 10/10/2024

1. 10/10/2024


1. 10/10/2024


1. 10/10/2024


1. 10/10/2024

1. 10/10/2024









PROPOSED NEW
SCHOOL BUILDING OF
DAV PUBLIC SCHOOL
AT PULI, ODISHA

DAY PUBLIC SCHOOL

Project No.	10/2017
Client	DAV PUBLIC SCHOOL
Location	PULI, ODISHA
Area	1000 sq. ft.
Cost	10000000

GENERAL ARRANGEMENT
DRAWING

DATE: 10/10/2017

14. 10/10/2017

CREATIVE INSPIRE

10/10/2017

NOTES

1. All dimensions are in meters unless otherwise specified.
2. The structure is to be constructed in accordance with the provisions of IS 456:2000 and IS 800:2008.
3. The concrete grade is M20 and the reinforcement is Fe 415.
4. The foundation is to be provided in the form of a raft slab.
5. The raft slab is to be 750 mm thick.
6. The reinforcement is to be provided in the form of a mesh.
7. The mesh is to be 150 mm x 150 mm.
8. The reinforcement is to be provided in the form of a mesh.
9. The mesh is to be 150 mm x 150 mm.
10. The reinforcement is to be provided in the form of a mesh.
11. The mesh is to be 150 mm x 150 mm.
12. The reinforcement is to be provided in the form of a mesh.
13. The mesh is to be 150 mm x 150 mm.
14. The reinforcement is to be provided in the form of a mesh.
15. The mesh is to be 150 mm x 150 mm.
16. The reinforcement is to be provided in the form of a mesh.
17. The mesh is to be 150 mm x 150 mm.
18. The reinforcement is to be provided in the form of a mesh.
19. The mesh is to be 150 mm x 150 mm.
20. The reinforcement is to be provided in the form of a mesh.
21. The mesh is to be 150 mm x 150 mm.
22. The reinforcement is to be provided in the form of a mesh.
23. The mesh is to be 150 mm x 150 mm.
24. The reinforcement is to be provided in the form of a mesh.
25. The mesh is to be 150 mm x 150 mm.
26. The reinforcement is to be provided in the form of a mesh.
27. The mesh is to be 150 mm x 150 mm.
28. The reinforcement is to be provided in the form of a mesh.
29. The mesh is to be 150 mm x 150 mm.
30. The reinforcement is to be provided in the form of a mesh.
31. The mesh is to be 150 mm x 150 mm.
32. The reinforcement is to be provided in the form of a mesh.
33. The mesh is to be 150 mm x 150 mm.
34. The reinforcement is to be provided in the form of a mesh.
35. The mesh is to be 150 mm x 150 mm.
36. The reinforcement is to be provided in the form of a mesh.
37. The mesh is to be 150 mm x 150 mm.
38. The reinforcement is to be provided in the form of a mesh.
39. The mesh is to be 150 mm x 150 mm.
40. The reinforcement is to be provided in the form of a mesh.
41. The mesh is to be 150 mm x 150 mm.
42. The reinforcement is to be provided in the form of a mesh.
43. The mesh is to be 150 mm x 150 mm.
44. The reinforcement is to be provided in the form of a mesh.
45. The mesh is to be 150 mm x 150 mm.
46. The reinforcement is to be provided in the form of a mesh.
47. The mesh is to be 150 mm x 150 mm.
48. The reinforcement is to be provided in the form of a mesh.
49. The mesh is to be 150 mm x 150 mm.
50. The reinforcement is to be provided in the form of a mesh.
51. The mesh is to be 150 mm x 150 mm.
52. The reinforcement is to be provided in the form of a mesh.
53. The mesh is to be 150 mm x 150 mm.
54. The reinforcement is to be provided in the form of a mesh.
55. The mesh is to be 150 mm x 150 mm.
56. The reinforcement is to be provided in the form of a mesh.
57. The mesh is to be 150 mm x 150 mm.
58. The reinforcement is to be provided in the form of a mesh.
59. The mesh is to be 150 mm x 150 mm.
60. The reinforcement is to be provided in the form of a mesh.
61. The mesh is to be 150 mm x 150 mm.
62. The reinforcement is to be provided in the form of a mesh.
63. The mesh is to be 150 mm x 150 mm.
64. The reinforcement is to be provided in the form of a mesh.
65. The mesh is to be 150 mm x 150 mm.
66. The reinforcement is to be provided in the form of a mesh.
67. The mesh is to be 150 mm x 150 mm.
68. The reinforcement is to be provided in the form of a mesh.
69. The mesh is to be 150 mm x 150 mm.
70. The reinforcement is to be provided in the form of a mesh.
71. The mesh is to be 150 mm x 150 mm.
72. The reinforcement is to be provided in the form of a mesh.
73. The mesh is to be 150 mm x 150 mm.
74. The reinforcement is to be provided in the form of a mesh.
75. The mesh is to be 150 mm x 150 mm.
76. The reinforcement is to be provided in the form of a mesh.
77. The mesh is to be 150 mm x 150 mm.
78. The reinforcement is to be provided in the form of a mesh.
79. The mesh is to be 150 mm x 150 mm.
80. The reinforcement is to be provided in the form of a mesh.
81. The mesh is to be 150 mm x 150 mm.
82. The reinforcement is to be provided in the form of a mesh.
83. The mesh is to be 150 mm x 150 mm.
84. The reinforcement is to be provided in the form of a mesh.
85. The mesh is to be 150 mm x 150 mm.
86. The reinforcement is to be provided in the form of a mesh.
87. The mesh is to be 150 mm x 150 mm.
88. The reinforcement is to be provided in the form of a mesh.
89. The mesh is to be 150 mm x 150 mm.
90. The reinforcement is to be provided in the form of a mesh.
91. The mesh is to be 150 mm x 150 mm.
92. The reinforcement is to be provided in the form of a mesh.
93. The mesh is to be 150 mm x 150 mm.
94. The reinforcement is to be provided in the form of a mesh.
95. The mesh is to be 150 mm x 150 mm.
96. The reinforcement is to be provided in the form of a mesh.
97. The mesh is to be 150 mm x 150 mm.
98. The reinforcement is to be provided in the form of a mesh.
99. The mesh is to be 150 mm x 150 mm.
100. The reinforcement is to be provided in the form of a mesh.



RAFT FOUNDATION PLAN

BOTTOM- ALONG Y-Y

PROPOSED NEW DAV
SCHOOL AT
SAMANGA, PURI
DAV PUBLIC SCHOOL
PURI

NOFC
PURI
PURI

STRUCTURAL DETAILS-1

DATE: 10/01/2020
PROJECT: DAV PUBLIC SCHOOL

MR. SANTOSH K. SINGH

PROJECT

MR. SANTOSH K. SINGH

CREATIVE INSCAPE

PROJECT: DAV PUBLIC SCHOOL
PURI
PURI



Abstract The purpose of this study was to determine the effect of a 12-week training program on the physical fitness of 10 sedentary, middle-aged men. The subjects were divided into two groups: a control group and an exercise group. The exercise group performed a 12-week training program consisting of three sessions per week, each lasting 30 minutes. The control group did not exercise. Physical fitness was measured at the beginning and end of the 12-week period. The exercise group showed significant improvements in cardiovascular fitness, muscular strength, and endurance compared to the control group. The results suggest that a 12-week training program can effectively improve the physical fitness of sedentary, middle-aged men.

PROPOSED NEW DAV
SCHOOL AT
SAMANGA, PURI

[illegible]

STRUCTURAL DESIGN 6-2

© 2002 RJR Publications

Abstract

Changes in the Health Care System

subject

H. Hesterman, University of Twente

CREATIVE INSCAPE

Address: 10000 Highway 1, Suite 100, San Diego, CA 92121
 Phone: (619) 594-1111
 Fax: (619) 594-1112



RAFT FOUNDATION PLAN
BOTTOM- ALONG X-X

NOTES

1. All dimensions are in meters unless otherwise specified.
 2. The foundation is to be constructed in accordance with the provisions of IS 456:2000 and IS 800:2008.
 3. The concrete grade to be used is M20.
 4. The reinforcement is to be provided in accordance with the provisions of IS 1786:2008.
 5. The foundation is to be constructed in accordance with the provisions of IS 456:2000 and IS 800:2008.
 6. The concrete grade to be used is M20.
 7. The reinforcement is to be provided in accordance with the provisions of IS 1786:2008.
 8. The foundation is to be constructed in accordance with the provisions of IS 456:2000 and IS 800:2008.
 9. The concrete grade to be used is M20.
 10. The reinforcement is to be provided in accordance with the provisions of IS 1786:2008.



**PROPOSED NEW DAV
 SCHOOL AT
 SAMANGA, PURI**

**DAV PUBLIC SCHOOL,
 PURI**

**CLASS
 LINA
 NGFC
 PTA BODIES
 (CHECKED)
 NAME**

STRUCTURAL DETAILS

**DATE
 15/05/2023**

DR. SANTOSH KJ. SINGH

CREATIVE INSCAPE

CREATIVE INSCAPE
 PLOT NO. 10/10, KALAKHAR, SAMANGA, PURI
 DIST. PURI, ODISHA, INDIA
 TEL. NO. 9826011882, 9826011883
 E-MAIL: info@creativeinscape.com




**RAFT FOUNDATION PLAN
 TOP-ALONG Y-Y**





TYPICAL ROOF BEAM LAYOUT PLAN



NOTES

1. The design is based on the following assumptions:
 - a. The structure is subjected to the following loads:
 - i. Dead load (DL): As per IS 8009 (Part 1) - 1984.
 - ii. Live load (LL): As per IS 8009 (Part 2) - 1984.
 - iii. Wind load (WL): As per IS 875 (Part 3) - 1987.
 - iv. Earthquake load (EL): As per IS 1893 (Part 1) - 2001.
 - b. The structure is designed for a service life of 50 years.
 - c. The structure is designed for a seismic zone of II.
 - d. The structure is designed for a risk level of 10%.
 - e. The structure is designed for a ground reaction of 0.15.
 - f. The structure is designed for a soil type of III.
 - g. The structure is designed for a foundation of 1.5m x 1.5m.
 - h. The structure is designed for a column of 1.5m x 1.5m.
 - i. The structure is designed for a beam of 1.5m x 1.5m.
 - j. The structure is designed for a slab of 1.5m x 1.5m.
 - k. The structure is designed for a roof of 1.5m x 1.5m.
 - l. The structure is designed for a staircase of 1.5m x 1.5m.
 - m. The structure is designed for a lift of 1.5m x 1.5m.
 - n. The structure is designed for a parking of 1.5m x 1.5m.
 - o. The structure is designed for a garden of 1.5m x 1.5m.
 - p. The structure is designed for a road of 1.5m x 1.5m.
 - q. The structure is designed for a bridge of 1.5m x 1.5m.
 - r. The structure is designed for a tunnel of 1.5m x 1.5m.
 - s. The structure is designed for a dam of 1.5m x 1.5m.
 - t. The structure is designed for a lock of 1.5m x 1.5m.
 - u. The structure is designed for a canal of 1.5m x 1.5m.
 - v. The structure is designed for a reservoir of 1.5m x 1.5m.
 - w. The structure is designed for a lake of 1.5m x 1.5m.
 - x. The structure is designed for a pond of 1.5m x 1.5m.
 - y. The structure is designed for a well of 1.5m x 1.5m.
 - z. The structure is designed for a borewell of 1.5m x 1.5m.



PROPOSED NEW DAY
SCHOOL AT
SAMANCA, PURI

DAY PUBLIC SCHOOL
PURI

NGFC
FOR TEEN
HOUSING

111.000

111.000

STRUCTURAL DETAILS-4

CHDAV RUPNWS0020

CHDAV RUPNWS0020

CHDAV RUPNWS0020

CHDAV RUPNWS0020

CHDAV RUPNWS0020


CHDAV RUPNWS0020

CHDAV RUPNWS0020

CHDAV RUPNWS0020

Sl. No.	Particulars	Unit	Quantity	Rate	Amount
1	1.5m x 1.5m	m ²	1.50	1.50	2.25
2	1.5m x 1.5m	m ²	1.50	1.50	2.25
3	1.5m x 1.5m	m ²	1.50	1.50	2.25
4	1.5m x 1.5m	m ²	1.50	1.50	2.25
5	1.5m x 1.5m	m ²	1.50	1.50	2.25
6	1.5m x 1.5m	m ²	1.50	1.50	2.25
7	1.5m x 1.5m	m ²	1.50	1.50	2.25
8	1.5m x 1.5m	m ²	1.50	1.50	2.25
9	1.5m x 1.5m	m ²	1.50	1.50	2.25
10	1.5m x 1.5m	m ²	1.50	1.50	2.25
11	1.5m x 1.5m	m ²	1.50	1.50	2.25
12	1.5m x 1.5m	m ²	1.50	1.50	2.25
13	1.5m x 1.5m	m ²	1.50	1.50	2.25
14	1.5m x 1.5m	m ²	1.50	1.50	2.25
15	1.5m x 1.5m	m ²	1.50	1.50	2.25
16	1.5m x 1.5m	m ²	1.50	1.50	2.25
17	1.5m x 1.5m	m ²	1.50	1.50	2.25
18	1.5m x 1.5m	m ²	1.50	1.50	2.25
19	1.5m x 1.5m	m ²	1.50	1.50	2.25
20	1.5m x 1.5m	m ²	1.50	1.50	2.25
21	1.5m x 1.5m	m ²	1.50	1.50	2.25
22	1.5m x 1.5m	m ²	1.50	1.50	2.25
23	1.5m x 1.5m	m ²	1.50	1.50	2.25
24	1.5m x 1.5m	m ²	1.50	1.50	2.25
25	1.5m x 1.5m	m ²	1.50	1.50	2.25
26	1.5m x 1.5m	m ²	1.50	1.50	2.25
27	1.5m x 1.5m	m ²	1.50	1.50	2.25
28	1.5m x 1.5m	m ²	1.50	1.50	2.25
29	1.5m x 1.5m	m ²	1.50	1.50	2.25
30	1.5m x 1.5m	m ²	1.50	1.50	2.25
31	1.5m x 1.5m	m ²	1.50	1.50	2.25
32	1.5m x 1.5m	m ²	1.50	1.50	2.25
33	1.5m x 1.5m	m ²	1.50	1.50	2.25
34	1.5m x 1.5m	m ²	1.50	1.50	2.25
35	1.5m x 1.5m	m ²	1.50	1.50	2.25
36	1.5m x 1.5m	m ²	1.50	1.50	2.25
37	1.5m x 1.5m	m ²	1.50	1.50	2.25
38	1.5m x 1.5m	m ²	1.50	1.50	2.25
39	1.5m x 1.5m	m ²	1.50	1.50	2.25
40	1.5m x 1.5m	m ²	1.50	1.50	2.25
41	1.5m x 1.5m	m ²	1.50	1.50	2.25
42	1.5m x 1.5m	m ²	1.50	1.50	2.25
43	1.5m x 1.5m	m ²	1.50	1.50	2.25
44	1.5m x 1.5m	m ²	1.50	1.50	2.25
45	1.5m x 1.5m	m ²	1.50	1.50	2.25
46	1.5m x 1.5m	m ²	1.50	1.50	2.25
47	1.5m x 1.5m	m ²	1.50	1.50	2.25
48	1.5m x 1.5m	m ²	1.50	1.50	2.25
49	1.5m x 1.5m	m ²	1.50	1.50	2.25
50	1.5m x 1.5m	m ²	1.50	1.50	2.25
51	1.5m x 1.5m	m ²	1.50	1.50	2.25
52	1.5m x 1.5m	m ²	1.50	1.50	2.25
53	1.5m x 1.5m	m ²	1.50	1.50	2.25
54	1.5m x 1.5m	m ²	1.50	1.50	2.25
55	1.5m x 1.5m	m ²	1.50	1.50	2.25
56	1.5m x 1.5m	m ²	1.50	1.50	2.25
57	1.5m x 1.5m	m ²	1.50	1.50	2.25
58	1.5m x 1.5m	m ²	1.50	1.50	2.25
59	1.5m x 1.5m	m ²	1.50	1.50	2.25
60	1.5m x 1.5m	m ²	1.50	1.50	2.25
61	1.5m x 1.5m	m ²	1.50	1.50	2.25
62	1.5m x 1.5m	m ²	1.50	1.50	2.25
63	1.5m x 1.5m	m ²	1.50	1.50	2.25
64	1.5m x 1.5m	m ²	1.50	1.50	2.25
65	1.5m x 1.5m	m ²	1.50	1.50	2.25
66	1.5m x 1.5m	m ²	1.50	1.50	2.25
67	1.5m x 1.5m	m ²	1.50	1.50	2.25
68	1.5m x 1.5m	m ²	1.50	1.50	2.25
69	1.5m x 1.5m	m ²	1.50	1.50	2.25
70	1.5m x 1.5m	m ²	1.50	1.50	2.25
71	1.5m x 1.5m	m ²	1.50	1.50	2.25
72	1.5m x 1.5m	m ²	1.50	1.50	2.25
73	1.5m x 1.5m	m ²	1.50	1.50	2.25
74	1.5m x 1.5m	m ²	1.50	1.50	2.25
75	1.5m x 1.5m	m ²	1.50	1.50	2.25
76	1.5m x 1.5m	m ²	1.50	1.50	2.25
77	1.5m x 1.5m	m ²	1.50	1.50	2.25
78	1.5m x 1.5m	m ²	1.50	1.50	2.25
79	1.5m x 1.5m	m ²	1.50	1.50	2.25
80	1.5m x 1.5m	m ²	1.50	1.50	2.25
81	1.5m x 1.5m	m ²	1.50	1.50	2.25
82	1.5m x 1.5m	m ²	1.50	1.50	2.25
83	1.5m x 1.5m	m ²	1.50	1.50	2.25
84	1.5m x 1.5m	m ²	1.50	1.50	2.25
85	1.5m x 1.5m	m ²	1.50	1.50	2.25
86	1.5m x 1.5m	m ²	1.50	1.50	2.25
87	1.5m x 1.5m	m ²	1.50	1.50	2.25
88	1.5m x 1.5m	m ²	1.50	1.50	2.25
89	1.5m x 1.5m	m ²	1.50	1.50	2.25
90	1.5m x 1.5m	m ²	1.50	1.50	2.25
91	1.5m x 1.5m	m ²	1.50	1.50	2.25
92	1.5m x 1.5m	m ²	1.50	1.50	2.25
93	1.5m x 1.5m	m ²	1.50	1.50	2.25
94	1.5m x 1.5m	m ²	1.50	1.50	2.25
95	1.5m x 1.5m	m ²	1.50	1.50	2.25
96	1.5m x 1.5m	m ²	1.50	1.50	2.25
97	1.5m x 1.5m	m ²	1.50	1.50	2.25
98	1.5m x 1.5m	m ²	1.50	1.50	2.25
99	1.5m x 1.5m	m ²	1.50	1.50	2.25
100	1.5m x 1.5m	m ²	1.50	1.50	2.25

3-SCHEDULE OF ROOF R/WAF FIRST SLAB									
Sl. No.	Particulars	Unit	Quantity	Rate	Amount	Sl. No.	Particulars	Unit	Quantity
1	1.5m x 1.5m	m ²	1.50	1.50	2.25	16	1.5m x 1.5m	m ²	1.50
2	1.5m x 1.5m	m ²	1.50	1.50	2.25	17	1.5m x 1.5m	m ²	1.50
3	1.5m x 1.5m	m ²	1.50	1.50	2.25	18	1.5m x 1.5m	m ²	1.50
4	1.5m x 1.5m	m ²	1.50	1.50	2.25	19	1.5m x 1.5m	m ²	1.50
5	1.5m x 1.5m	m ²	1.50	1.50	2.25	20	1.5m x 1.5m	m ²	1.50
6	1.5m x 1.5m	m ²	1.50	1.50	2.25	21	1.5m x 1.5m	m ²	1.50
7	1.5m x 1.5m	m ²	1.50	1.50	2.25	22	1.5m x 1.5m	m ²	1.50
8	1.5m x 1.5m	m ²	1.50	1.50	2.25	23	1.5m x 1.5m	m ²	1.50
9	1.5m x 1.5m	m ²	1.50	1.50	2.25	24	1.5m x 1.5m	m ²	1.50
10	1.5m x 1.5m	m ²	1.50	1.50	2.25	25	1.5m x 1.5m	m ²	1.50
11	1.5m x 1.5m	m ²	1.50	1.50	2.25	26	1.5m x 1.5m	m ²	1.50
12	1.5m x 1.5m	m ²	1.50	1.50	2.25	27	1.5m x 1.5m	m ²	1.50
13	1.5m x 1.5m	m ²	1.50	1.50	2.25	28	1.5m x 1.5m	m ²	1.50
14	1.5m x 1.5m	m ²	1.50	1.50	2.25	29	1.5m x 1.5m	m ²	1.50
15	1.5m x 1.5m	m ²	1.50	1.50	2.25	30	1.5m x 1.5m	m ²	1.50
31	1.5m x 1.5m	m ²	1.50	1.50	2.25	32	1.5m x 1.5m	m ²	1.50
33	1.5m x 1.5m	m ²	1.50	1.50	2.25	34	1.5m x 1.5m	m ²	1.50
35	1.5m x 1.5m	m ²	1.50	1.50	2.25	36	1.5m x 1.5m	m ²	1.50
37	1.5m x 1.5m	m ²	1.50	1.50	2.25	38	1.5m x 1.5m	m ²	1.50
39	1.5m x 1.5m	m ²	1.50	1.50	2.25	40	1.5m x 1.5m	m ²	1.50
41	1.5m x 1.5m	m ²	1.50	1.50	2.25	42	1.5m x 1.5m	m ²	1.50
43	1.5m x 1.5m	m ²	1.50	1.50	2.25	44	1.5m x 1.5m	m ²	1.50
45	1.5m x 1.5m	m ²	1.50	1.50	2.25	46	1.5m x 1.5m	m ²	1.50
47	1.5m x 1.5m	m ²	1.50	1.50	2.25	48	1.5m x 1.5m	m ²	1.50
49	1.5m x 1.5m	m ²	1.50	1.50	2.25	50	1.5m x 1.5m	m ²	1.50
51	1.5m x 1.5m	m ²	1.50	1.50	2.25	52	1.5m x 1.5m	m ²	1.50
53	1.5m x 1.5m	m ²	1.50	1.50	2.25	54	1.5m x 1.5m	m ²	1.50
55	1.5m x 1.5m	m ²	1.50	1.50	2.25	56	1.5m x 1.5m	m ²	1.50
57	1.5m x 1.5m	m ²	1.50	1.50	2.25	58	1.5m x 1.5m	m ²	1.50
59	1.5m x 1.5m	m ²	1.50	1.50	2.25	60	1.5m x 1.5m	m ²	1.50
61	1.5m x 1.5m	m ²	1.50	1.50	2.25	62	1.5m x 1.5m	m ²	1.50
63	1.5m x 1.5m	m ²	1.50	1.50	2.25	64	1.5m x 1.5m	m ²	1.50
65	1.5m x 1.5m	m ²	1.50	1.50	2.25	66	1.5m x 1.5m	m ²	1.50
67	1.5m x 1.5m	m ²	1.50	1.50	2.25	68	1.5m x 1.5m	m ²	1.50
69	1.5m x 1.5m	m ²	1.50	1.50	2.25	70	1.5m x 1.5m	m ²	1.50
71	1.5m x 1.5m	m ²	1.50	1.50	2.25	72	1.5m x 1.5m	m ²	1.50
73	1.5m x 1.5m	m ²	1.50	1.50	2.25	74	1.5m x 1.5m	m ²	1.50
75	1.5m x 1.5m	m ²	1.50	1.50	2.25	76	1.5m x 1.5m	m ²	1.50
77	1.5m x 1.5m	m ²	1.50	1.50	2.25	78	1.5m x 1.5m	m ²	1.50
79	1.5m x 1.5m	m ²	1.50	1.50	2.25	80	1.5m x 1.5m	m ²	1.50
81	1.5m x 1.5m	m ²	1.50	1.50	2.25	82	1.5m x 1.5m	m ²	1.50
83	1.5m x 1.5m	m ²	1.50	1.50	2.25	84	1.5m x 1.5m	m ²	1.50
85	1.5m x 1.5m	m ²	1.50	1.50	2.25	86	1.5m x 1.5m	m ²	1.50
87	1.5m x 1.5m	m ²	1.50	1.50	2.25	88	1.5m x 1.5m	m ²	1.50
89	1.5m x 1.5m	m ²	1.50	1.50	2.25	90	1.5m x 1.5m	m ²	1.50
91	1.5m x 1.5m	m ²	1.50	1.50	2.25	92	1.5m x 1.5m	m ²	1.50
93	1.5m x 1.5m	m ²	1.50	1.50	2.25	94	1.5m x 1.5m	m ²	1.50
95	1.5m x 1.5m	m ²	1.50	1.50	2.25	96	1.5m x 1.5m	m ²	1.50
97	1.5m x 1.5m	m ²	1.50	1.50	2.25	98	1.5m x 1.5m	m ²	1.50
99	1.5m x 1.5m	m ²	1.50	1.50	2.25	100	1.5m x 1.5m	m ²	1.50



BASEMENT PLAN

NOTES

1. ALL DIMENSIONS ARE IN METERS.
2. ALL ROOMS ARE TO BE FINISHED WITH WHITE WASH.
3. ALL ROOFS ARE TO BE FINISHED WITH RED TILES.
4. ALL FLOORS ARE TO BE FINISHED WITH POLISHED FLOORING.
5. ALL WALLS ARE TO BE FINISHED WITH WHITE WASH.
6. ALL CEILINGS ARE TO BE FINISHED WITH WHITE WASH.
7. ALL DOORS ARE TO BE FINISHED WITH TEAK WOOD.
8. ALL WINDOWS ARE TO BE FINISHED WITH ALUMINUM FRAME.
9. ALL STAIRCASES ARE TO BE FINISHED WITH MARBLE FLOORING.
10. ALL LIFT SHAFTS ARE TO BE FINISHED WITH WHITE WASH.

PROPOSED NEW
SCHOOL BUILDING OF
DAY PUBLIC SCHOOL
AT PURI, ODISHA

DAY PUBLIC SCHOOL

DESIGNED BY
ARCHITECT
NAGARAJ
K. SINGH

SCALE

DATE

PROJECT

NO. 10/2024

DATE

PROJECT


NO. 10/2024

DATE

PROJECT

NO. 10/2024

29-6/66



CREATIVE INSCAPE